



**SCENIC GOLD FS350 IBC 1000L**

Version 4 / EU  
102000028578

1/14  
Revision Date: 14.11.2022  
Print Date: 06.01.2023

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Trade name** SCENIC GOLD FS350 IBC 1000L  
**Product code (UVP)** 84095370

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Seed treatment, Fungicide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer AG  
Kaiser-Wilhelm-Allee 1  
51373 Leverkusen  
Germany

**Telefax** +49(0)2173-38-7394

**Responsible Department** Chemical Regulatory Affairs  
+49(0)2173-38-3409 (during business hours only)  
Email: BCS-SDS@bayer.com

**1.4 Emergency telephone no.**

**Emergency telephone no.** Global Incident Response Hotline (24h)  
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

---

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

**Reproductive toxicity: Category 2**  
**H361d** Suspected of damaging the unborn child.

**Acute aquatic toxicity: Category 1**  
**H400** Very toxic to aquatic life.

**Chronic aquatic toxicity: Category 1**  
**H410** Very toxic to aquatic life with long lasting effects.

**2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

**Hazard label for supply/use required.**

**Hazardous components which must be listed on the label:**

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
1020000285782/14  
Revision Date: 14.11.2022  
Print Date: 06.01.2023

- Fluopicolide
- Fluoxastrobin

**Signal word:** Warning**Hazard statements**

H361d	Suspected of damaging the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
EUH208	Contains 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

**Precautionary statements**

P201	Obtain special instructions before use.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

No additional hazards known beside those mentioned.

Fluopicolide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Fluoxastrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**Ecological information:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Toxicological information:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Flowable concentrate for seed treatment (FS)  
fluopicolide 200 g/l + fluoxastrobin 150 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
1020000285783/14  
Revision Date: 14.11.2022  
Print Date: 06.01.2023

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Fluopicolide	239110-15-7	Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	17,10
Fluoxastrobin	361377-29-9	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	12,82
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 01-2120761540-60-0003	Skin Sens. 1, H317 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400	$\geq 0,005$ – $< 0,05$
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	$> 0.00015$ – $< 0.0015$
Glycerine	56-81-5 200-289-5 01-2119471987-18-XXXX	Not classified	$> 1,0$

**Further information**

Fluopicolide	239110-15-7	M-Factor: 10 (acute), 1 (chronic)
Fluoxastrobin	361377-29-9	M-Factor: 1 (acute), 1 (chronic)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 10 (acute)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	SCL: Skin Sens. 1; H317: SCL $\geq 0,05$ %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	M-Factor: 100 (acute), 100 (chronic)
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Corr. 1C; H314: SCL $\geq 0,6$ %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL $0,06 - < 0,6$ %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL $\geq 0,6$ %

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
1020000285784/14  
Revision Date: 14.11.2022  
Print Date: 06.01.2023

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0,06 - < 0,6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL >= 0,0015 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Particle characteristics**

This substance/ mixture does not contain nanoforms

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	To date no symptoms are known.
-----------------	--------------------------------

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Treatment</b>	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578

5/14

Revision Date: 14.11.2022  
Print Date: 06.01.2023**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire., In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**Additional advice** Check also for any local site procedures.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Remove contaminated clothing immediately and dispose of

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578

6/14

Revision Date: 14.11.2022  
Print Date: 06.01.2023

safely. Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a place accessible by authorized persons only. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from freezing. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** HDPE (high density polyethylene)

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Fluopicolide	239110-15-7	2,2 mg/m <sup>3</sup> (TWA)		OES BCS*
Fluoxastrobin	361377-29-9	0,42 mg/m <sup>3</sup> (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578

7/14

Revision Date: 14.11.2022  
Print Date: 06.01.2023**Skin and body protection**

Wear standard coveralls and Category 3 Type 6 suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	suspension
<b>Colour</b>	white to light beige
<b>Odour</b>	No data available
<b>Odour Threshold</b>	No data available
<b>Melting point/range</b>	No data available
<b>Boiling point/boiling range</b>	101 °C
<b>Flammability</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Flash point</b>	No flash point - Determination conducted up to the boiling point.
<b>Auto-ignition temperature</b>	420 °C
<b>Thermal decomposition</b>	Not applicable
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>pH</b>	5,0 - 7,0 (100 %) (23 °C)
<b>Viscosity, dynamic</b>	100 - 250 mPa.s (20 °C) Velocity gradient 20 /s 40 - 100 mPa.s (20 °C) Velocity gradient 100 /s
<b>Viscosity, kinematic</b>	No data available
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Fluopicolide: log Pow: 2,9(pH 7)  Fluoxastrobin: log Pow: 2,86 (20 °C)
<b>Surface tension</b>	44 mN/m (25 °C) Determined in the undiluted form.

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578

8/14

Revision Date: 14.11.2022  
Print Date: 06.01.2023

<b>Vapour pressure</b>	No data available
<b>Density</b>	1,17 g/cm <sup>3</sup> (20 °C)
<b>Relative density</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Assessment nano particles</b>	This substance/ mixture does not contain nanoforms
<b>Particle size</b>	No data available
<b>9.2 Other information</b>	
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>Oxidizing properties</b>	No oxidizing properties
<b>Evaporation rate</b>	No data available
<b>Other physico-chemical properties</b>	Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY**

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008**

<b>Acute oral toxicity</b>	LD50 (Rat) > 2.000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 3,72 mg/l Exposure time: 4 h Highest attainable concentration.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2.000 mg/kg
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit)



**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578

9/14

Revision Date: 14.11.2022  
Print Date: 06.01.2023**Serious eye damage/eye irritation**

No eye irritation (Rabbit)

**Respiratory or skin sensitisation**Skin: Non-sensitizing. (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)**Assessment STOT Specific target organ toxicity – single exposure**

Fluopicolide: Based on available data, the classification criteria are not met.  
Fluoxastrobin: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Fluopicolide did not cause specific target organ toxicity in experimental animal studies.  
Fluoxastrobin did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Fluopicolide was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Fluoxastrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Fluopicolide caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Fluoxastrobin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Fluopicolide Developmental effects in rats and rabbits only occurred at high doses which caused maternal toxicity.

Fluoxastrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluoxastrobin is related to parental toxicity.

**Assessment developmental toxicity**

Fluopicolide did not cause developmental toxicity in rats and rabbits.

Fluoxastrobin did not cause developmental toxicity in rats. Fluoxastrobin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Fluoxastrobin are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578**10/14**Revision Date: 14.11.2022  
Print Date: 06.01.2023

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0,36 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fluopicolide.
	LC50 (Oncorhynchus mykiss (rainbow trout)) 0,435 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fluoxastrobin.
<b>Chronic toxicity to fish</b>	Pimephales promelas (fathead minnow) Early-life Stage NOEC: 0,155 mg/l Exposure time: 33 d The value mentioned relates to the active ingredient fluopicolide.
	Oncorhynchus mykiss (rainbow trout) NOEC: 0,0286 mg/l Exposure time: 95 d The value mentioned relates to the active ingredient fluoxastrobin.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) > 1,8 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient fluopicolide.
	EC50 (Daphnia magna (Water flea)) 0,48 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient fluoxastrobin.
<b>Chronic toxicity to aquatic invertebrates</b>	NOEC (Daphnia magna (Water flea)): 0,19 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient fluopicolide.
	NOEC (Daphnia magna (Water flea)): 0,18 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient fluoxastrobin.
<b>Toxicity to aquatic plants</b>	ErC50 (Skeletonema costatum) 0,073 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient fluopicolide.
	EC10 (Skeletonema costatum) 0,0424 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient fluopicolide.
	EC50 (Raphidocelis subcapitata (freshwater green alga)) 2,10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient fluoxastrobin.
<b>12.2 Persistence and degradability</b>	
<b>Biodegradability</b>	Fluopicolide: Not rapidly biodegradable
	Fluoxastrobin: Not rapidly biodegradable

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578

11/14

Revision Date: 14.11.2022  
Print Date: 06.01.2023

**Koc** Fluopicolide: Koc: 321  
Fluoxastrobin: Koc: 424 - 1582

**12.3 Bioaccumulative potential**

**Bioaccumulation** Fluopicolide: Bioconcentration factor (BCF) 121  
Does not bioaccumulate.  
Fluoxastrobin: Bioconcentration factor (BCF) 52  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Fluopicolide: Moderately mobile in soils  
Fluoxastrobin: Slightly mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Fluopicolide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Fluoxastrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Endocrine disrupting properties**

**Assessment** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Triple rinse containers.  
Do not re-use empty containers.  
Not completely emptied packagings should be disposed of as hazardous waste.

**Waste key for the unused product** **02 01 08\*** agrochemical waste containing hazardous substances

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**  
14.1 UN number

**3082**

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578

12/14

Revision Date: 14.11.2022  
Print Date: 06.01.2023

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE, FLUOXASTROBIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE, FLUOXASTROBIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE, FLUOXASTROBIN SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: III (Slightly hazardous)

**15.2 Chemical safety assessment**

A chemical safety assessment is not required.

---

**SECTION 16: OTHER INFORMATION**

**SCENIC GOLD FS350 IBC 1000L**Version 4 / EU  
102000028578**13/14**Revision Date: 14.11.2022  
Print Date: 06.01.2023**Text of the hazard statements mentioned in Section 3**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.



**SCENIC GOLD FS350 IBC 1000L**

Version 4 / EU  
102000028578

14/14

Revision Date: 14.11.2022  
Print Date: 06.01.2023

**Reason for Revision:**

Safety Data Sheet according to Regulation (EU) No. 2020/878.  
Checked and revised for editorial purposes due to adjustments  
according to the current Annex II of the REACH regulation.

The following sections have been revised: Section 2: Hazards  
Identification. Section 3: Composition / Information on Ingredients.  
Section 11: Toxicological information on STOT (Specific Target Organ  
Toxicity) and CMR (Carcinogenic, Mutagenic and toxic to  
Reproduction). Section 13. Disposal considerations.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.